

L Number	Hits	Search Text	DB	Time stamp
1	6	(3,818,442 5,771,288 6,339,646).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 21:14
-	525118	(comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transform\$5 or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:39
-	30791	(comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transform\$5 or code or mask\$4) with (mobile or telecommunicat\$4 or communic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:24
-	28296	(comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transformation or code or mask\$4) with (mobile or telecommunicat\$4 or communic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:42
-	507	(comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:03
-	115	((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (second) with (order or sequence)) with (shift with register with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:45
-	0	((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:45
-	6	((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (scrambl\$4 or transformation or code or mask\$4) with (mobile or telecommunicat\$4 or communic\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:47
-	1601	shift adj register adj memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:49
-	42	(shift adj register adj memory) and (cyclic\$5 near shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:26
-	58	(shift adj register adj memory) with (add\$4 with (bit or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 18:01
-	0	(shift adj register adj memory) with (add\$4 with (bit or value)) with (cyclic\$5 near shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 17:53

-	0	(shift adj register adj memory) with (add\$4 with (bit or value)) same (cyclic\$5 near shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 17:53
-	1	((comput\$4 or generat\$4 or apply\$4 or produc\$4 or process\$4) with (second) with (order or sequence)) with (shift with register with memory)) and ((shift adj register adj memory) with (add\$4 with (bit or value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 17:59
-	340	(comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 18:03
-	60	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5)) and (adder and register and sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 18:04
-	0	1198049.URPN.	USPAT	2004/02/18 18:47
-	65	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT	2004/02/19 10:46
-	64	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 10:38
-	1	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5 or umts)) and (adder and register)) not ((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code with (mobile or telecommunicat\$4 or communic\$5)) and (adder and register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 10:39
-	93	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4) with code same (mobile or telecommunicat\$4 or communic\$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 10:47
-	119	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4 or gold) with code same (mobile or telecommunicat\$4 or communic\$5 or umts)) and (adder and register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 12:58
-	34	((comput\$4 or generat\$4) with (scrambl\$4 or transform\$4 or mask\$4 or gold) with code same (mobile or telecommunicat\$4 or communic\$5 or umts)) and (adder and register) and polynomial (multipl\$5 with (mask with code) with register with value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 10:47
-	11	(multipl\$5 with (mask with code) with register with value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 13:13
-	1466	(multiply\$4 with (mask or code) with (register or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2004/02/19 13:14
-	264	(multiply\$4 near2(mask or code) with (register or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:14

	68	(multiply\$4 near2 (mask or code) with (register))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:14
	67	((multiply\$4 near2 (mask or code) with (register))) not ((multipl\$5 with (mask with code) with register with value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:15
	19	((multiply\$4 near2 (mask or code) with (register))) and mask\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:16
	0	((multiply\$4 near2 (mask or code) with (register))) and mask\$3 and (delay\$4 with code with (\$1channel or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:18
	1	((multiply\$4 near2 (mask or code) with (register))) and (delay\$4 with code with (\$1channel or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:17
	0	((multiply\$4 near2 (mask or code) with (register))) and mask\$3 and ("L-channel")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:19
	4	((multiply\$4 near2 (mask or code) with (register))) and mask\$3 and ("L-channel" or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:22
	0	((multiply\$4 near2 (mask or code) with (register))) and mask\$3 and ("in-phase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:22
	3	((multiply\$4 near2 (mask or code) with (register))) and ("in-phase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:22
	2	((multiply\$4 near2 (mask or code) with (register))) and mask\$4 and (cyclic\$5 near shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:34
	2	((multiply\$4 near2 (mask or code) with (register))) and mask\$4 and (cyclic\$5 with shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:35
	614	mask\$4 and (cyclic\$5 with shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:35
	116	mask\$4 and (cyclic\$5 with shift\$4) and polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:35
	7	mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3) and delay\$4 and scrambl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/19 13:36

	14	(mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3) and delay\$4) not (mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3) and delay\$4 and scrambl\$4)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:38
	21	mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3) and delay\$4	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:54
	40	mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:57
	19	(mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3)) not (mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3) and delay\$4)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:55
	49	(mask\$4 or (signature adj sequence)) and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:58
	9	((mask\$4 or (signature adj sequence)) and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3)) not (mask\$4 and (cyclic\$5 with shift\$4) and polynomial and (right with shift\$3))	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:58
	22089	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence)) and (add\$4 first with second with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:27
	450	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 first with second with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:29
	48	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 first with second with sequence) and (((cyclic\$5 or right) with (shift\$3)) with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:31
	74	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 first with second with sequence) and (((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:57
	20	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 first with second with sequence) and (((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence) same (add\$4 with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:41
	4	("6021124" "6317430" "6396814" "6408003").PN.	USPAT	2004/02/19 14:39
	13	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 with first with second with sequence) and (((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence) same (add\$4 with sequence)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:41

	14	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 with first with second with sequence) and ((((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:57
	10	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) with (shift with register)) and (add\$4 with first with second with sequence) and ((((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:59
	11	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) same(shift with register)) and (add\$4 with first with second with sequence) and ((((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:59
	16	((comput\$4 or generat\$4 or apply\$4 or calculat\$3) with (second) with (sequence) same(shift with register)) and (add\$4 same first same second with sequence) and ((((cyclic\$5 or right) with (shift\$3)) or mask\$4) with sequence) and @ad<20000707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:12
	18717	"18" with "10" with "7" with "5" with "1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:41
	4	("4965826" "5533014" "5539746" "5828956").PN.	USPAT	2004/02/19 16:43
	0	6535495.URPN.	USPAT	2004/02/19 16:44
	2	"18" with "10" with "7" with "5" with "1" and (gold adj (sequence or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:46
	29	"18" with "10" with "7" with "5" with "1" same polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:48
	121	"18" same "10" same "7" same "5" same "1" same polynomial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 16:49
	8	6163524.URPN.	USPAT	2004/02/19 17:28